




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11029, virus@NC_009942.1-West_Nile_virus_lineage_1:1-11029


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




virus@X12819.1-Bluetongue_virus_gene_for_capsid_protein_VP1_genomic_RNA:1-19208

0 5000 10000 15000 20000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




bow size 25, length 1204, virus @ NC_034530.1-Marco_virus_nucleoprotein_phosphoprotein_matrix_glycoprotein_hypothetical_proteins:1-13294


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=2, negative=3, total=5

AeAlbo_C636_2dpi_mock1.24_35.rep




positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep




positive=2, negative=3, total=5


Window size=25, length=14717, virus@NC_017685.1-Obodhiang_virus:1-14717




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10510, virus@NC_008718.1-Entebbe_bat_virus:1-10510


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




v size=25, length=11652, @164478553.1-Gambie_virus_putative_nucleoprotein_putative_small_transmembrane_protein_putative_g:1-11652

0 2000 4000 6000 8000 10000 12000

AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11503, virus@NC_035132.1_Culex_rhabdo-like_virus_strain_mosWSB71420:1-11503


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11550, virus@NC_024887.1-Middelburg_virus_isolate_ArB-8422:1-11550

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10865, virus@NC_021069.1-Mosquito_flavivirus_isolate_LSFaviV-A20-09:1-10865

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep






AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11675, virus@NC_003899.1-Eastern_equine_encephalitis_virus:1-11675


0 2000 4000 6000 8000 10000 12000




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




size=25116, length=12580, vir=0, sim=1204990.1-Muir_Springs_virus_nucleoprotein_phosphoprotein_matrix_glycoprotein_and_polymerase_:1-12580

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




bow size=5, length=1704, virus=NC_034531.1-Manitoba_virus_nucleoprotein_phosphoprotein_hypothetical_proteins_matrix_glycoprot:1-13784


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=2, total=3, size=25, length=10251, virus@NC_033723.1-Gadgets_Gully_virus_from_Australia_polyprotein_gene:1-10251

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10173, virus@NC_033699.1-Jugra_virus_strain_P-9-314_polyprotein_gene:1-10173

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




size=25, length=10729, version=2, contig=4031320.1-Yichang_Insect_virus_strain_YCYC01_RNA-dependent_RNA_polymerase_L_G_N_gene:1-10729




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=2, total=2, window_size=25, length=12072, virus@NC_031319.1_Wutai_Mosquito_Virus_strain_QN3-5_nucleopasid_protein_N_G_L:1-12072

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



length=12774, read_size=150, total=Xincheng_Mosquito_Virus_strain_XC1-6_ORF1_ORF1_ORF2_ORF2_glycoprotein_G_and_RNA-de:1-12774


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10735, virus@NC_001477.1-Dengue_virus_1:1-10735

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10976, virus@NC_001437.1-Japanese_encephalitis_virus_genome:1-10976

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=3, total=4, size=25, length=11664, virus@MG731558.1_Akabane_virus_isolate_HN10174_nucleoprotein_mRNA:1-11664

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Wad, size=25, length=12369, virus@KJ716848.1-Ngari_virus_strain_Adrar_segment_S_plus_segment_M_plus_segment_L:1-12369

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



positive=0, indeterminate=2, total=2, length=11470, virus@NC_035128.1_Aedes_camptorhynchus_negev-like_virus_strain_mos191CP47896:1-11470

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




row size=25, gene=5724, virus=48, La_Joya_virus_nucleoprotein_phosphoprotein_hypothetical_proteins_matrix_hypothetic:1-15721

0 5000 10000 15000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




th=13706, positive=9, negative=8, total=17, An_Mosquito_Virus_9_strain_JX1-13_ORF1_ORF1_ORF2_ORF2_ORF3_ORF3_glycoprotein_G_:1-13706

0 2000 4000 6000 8000 10000 12000 14000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10938, virus@NC_027819.1-Mercadeo_virus_isolate_ER-M10:1-10938


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




downloaded from <https://www.ncbi.nlm.nih.gov/trace.ncbi.nlm.nih.gov/projects/genome/assembly/blast/> on 2024-10-24, view @ NC_026623.1-Capicore_virus_flavivirus_polyprotein_flavivirus_polyprotein_gene_and_truncated_:1-10284


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep







AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Mock window size=25, length=10990, virus@NC_015843.2-Tembusu_virus_flavivirus_polyprotein_flavivirus_polyprotein_gene_gene:1-10990


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=10815, virus@NC_009026.2-Bussuquara_virus:1-10815

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=0, negative=1, total=2

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=1, total=2


Window size=25, length=11019, virus@NC_002803.1-Spring_viraemia_of_carp_virus:1-11019

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=1, total=2, window size=25, length=13297, virus@MF176298.1-Culex_mononega-like_virus_2_strain_mos191gb23464:1-13297


0 2000 4000 6000 8000 10000 12000




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



w size 25, length 13205, use @M2_034449.1-Parry_Creek_virus_nucleoprotein_phosphoprotein_hypothetical_proteins_matrix_glycop:1-13205


0 2000 4000 6000 8000 10000 12000

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=1, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0


AeAlbo_C636_2dpi_mock1.rep




25, length=280, negative=NC_023801.1-Hubei_chuvirus-like_virus_3_strain_QTM26698_RNA-dependent_RNA_polymerase_putative_:1-11280

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11220, virus@NC_025399.1-Oak-Vale_virus_strain_CSIRO_1342:1-11220


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=10787, virus@NC_005062.1-Omsk_hemorrhagic_fever_virus:1-10787


0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=0, negative=590, total=590

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=590, total=590


Window size=25, length=10943, virus@NC_003690.1-Langat_virus:1-10943

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep







AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11703, virus@NC_001547.1-Sindbis_virus:1-11703

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=20113, virus@MF176279.1_Ngewotan_virus_strain_mos172X93828:1-20113


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



ze=25012237101652804.1-Tataguine_virus_segment_S_plus_segment_M_plus_segment_L_nucleocapsid_protein_gene:1-12237

0 2000 4000 6000 8000 10000 12000

AeAlbo_C636_2dpi_mock1.18_23.rep

0.2
0.1
0.0
-0.1
-0.2
-0.3

positive=0, negative=1, total=2

AeAlbo_C636_2dpi_mock1.24_35.rep

0.2
0.1
0.0
-0.1
-0.2
-0.3


positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep


0.2
0.1
0.0
-0.1
-0.2
-0.3

positive=0, negative=1, total=2
Window size=25, length=10749, virus@KX669682.1-Calbertado_virus_isolate_Cal_mos_2_polyprotein_gene:1-10749


0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10182, virus@DQ859056.1-Banzi_virus_strain_SAH_336_polyprotein_gene:1-10182

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=10867, virus@NC_035124.1_Culex_negev-like_virus_1_strain_mosWSX37710:1-10867


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=9324, virus@NC_035123.1_Culex_negev-like_virus_2_strain_mos172X30622:1-9324

0 2000 4000 6000 8000


AeAlbo_C636_2dpi_mock1.18_23.rep






AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep







AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




www.ncbi.nlm.nih.gov/ncbiinfo/ncbi/ncbi.html




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11876, virus@NC_025395.1-Puerto_Almendras_virus_isolate_LO-39:1-11876

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=4, total=5

AeAlbo_C636_2dpi_mock1.24_35.rep




positive=0, negative=0, total=0


AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=4, window size=25, length=11190, virus@NC_025384.1-Culex tritaeniorhynchus rhabdovirus RNA strain_TY:1-11190




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11526 virus@NC_025359.1-Moussa_virus_isolate_C23:1-11526

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10365, virus@NC_024805.1-Ilomantsi_virus_isolate_M0724_polyprotein_gene:1-10365


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10878, virus@NC_024299.2-Nienokoue_virus_isolate_B51_CI_2004:1-10878

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10865, virus@NC_012671.1-Quang_Binh_virus:1-10865


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11597, virus@NC_006558.1-Getah_virus:1-11597

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=6, total=6, virus@NC_004110.1-La_Crosse_virus_segment_S_plus_segment_M_plus_segment_L:1-12491

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10839, virus@NC_003687.1-Powassan_virus:1-10839

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10682, virus@NC_001564.2-Cell_fusing_agent_virus_strain_Galveston:1-10682

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=1, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=1, total=1

Window size=25, length=10735, virus@KM225265.1-Torres_virus_strain_TS5273:1-10735

0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=11079, virus@KC181923.1-Aedes_flavivirus_strain_AEFV-SPFLD-MO-2011-MP6:1-11079

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10922, virus@AY632538.4-Iguape_virus_strain_SPAn_71686:1-10922

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep






AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AA010101.1 Saboya_virus_strain_Dak_AR_D4600_polyprotein_gene:1-10173


0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10588, virus@NC_031327.1-Anopheles_flavivirus_variant_1:1-10588

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




total window size=25, length=10206, virus@NC_030289.1-Edge_Hill_virus_strain_YMP_148_polyprotein_gene:1-10206

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=12004, virus@NC_028265.1_Wuhan_Mosquito_Virus_8_strain_XC2-7:1-12004

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=11096, virus@NC_025376.1-Grass_carp_rhabdovirus_V76:1-11096


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10320, virus@NC_024806.1-Lammi_virus_isolate_M0719_polyprotein_gene:1-10320

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=11064, virus@NC_012932.1-Aedes_flavivirus_genomic_RNA_strain_Narita-21:1-11064

0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=0, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0




AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=0, total=1

Window size=25, length=10723, virus@NC_012533.1-Kedougou_virus:1-10723

0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=0, negative=1, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0




AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=1, total=1

Window size=25, length=10755, virus@NC_009028.2-Ilheus_virus:1-10755


0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=0, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0


AeAlbo_C636_2dpi_mock1.rep




positive=1, negative=0, total=1 Window size=25, length=6603, virus@NC_004177.1-Drosophila_x_virus_segment_A_and_segment_B:1-6603

0 1000 2000 3000 4000 5000 6000

AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep







AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10871, virus@NC_001809.1-Louping_ill_virus:1-10871

0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11488, virus@NC_001786.1-Barmah_Forest_virus:1-11488

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=12195, virus@MG747536.1_Oropouche_virus_isolate_BeAr_136921_segment_5_M_L:1-12195

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




downloaded from https://www.ncbi.nlm.nih.gov/trace/vitals/176325.1_Aedes_alboannulatus_orthomyxo-like_virus_strain_mosWSAb70818_segment_1_2_3_4:1-8819


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=0, negative=6, total=6

AeAlbo_C636_2dpi_mock1.24_35.rep





positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=6, total=6
virus@MF176267.1_Culex_phasma-like_virus_strain_mos172X35099_segment_S_M_L:1-10814







AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11391, virus@AF075253.1-Mucambo_virus_strain_Mucambo_BeAn_8:1-11391

0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=0, negative=1, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0


AeAlbo_C636_2dpi_mock1.rep




row size=25, col=1, gene=1, mitochr=0, NC_034538.1-Joinjakaka_virus_nucleoprotein_phosphoprotein_hypothetical_protein_matrix_glycopro:1-13155

0 2000 4000 6000 8000 10000 12000

AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=14478, virus@NC_028241.1-Yata_virus_isolate_DakArB_2181:1-14478


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11019, virus@NC_025364.1-Malpais_Spring_virus_strain_85-488NM:1-11019

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11097, virus@NC_025356.1-Pike_fry_rhabdovirus_isolate_F4:1-11097

0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep






AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep






0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=11381, virus@NC_013528.1-Fort_Morgan_virus:1-11381


0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10874, virus@NC_009029.2-Kokobera_virus:1-10874

0 2000 4000 6000 8000 10000

AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10793, virus@NC_008719.1-Sepik_virus:1-10793

0 2000 4000 6000 8000 10000




AeAlbo_C636_2dpi_mock1.18_23.rep




positive=1, negative=0, total=1

AeAlbo_C636_2dpi_mock1.24_35.rep



positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep



positive=1, negative=0, total=1


Window size=25, length=11826, virus@NC_004162.2-Chikungunya_virus:1-11826

0 2000 4000 6000 8000 10000 12000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



Vindos@NC_003924.1-Cricket_paralysis_virus_nonstructural_polyprotein_and_structural_polyprotein_genes:1-9185

0 2000 4000 6000 8000

AeAlbo_C636_2dpi_mock1.18_23.rep

positive=0, negative=0, total=1


AeAlbo_C636_2dpi_mock1.24_35.rep

positive=0, negative=0, total=0


AeAlbo_C636_2dpi_mock1.rep

positive=0, negative=0, total=1


Window size=25, length=4505, virus@NC_001411.2-Black_beetle_virus_RNA1_and_RNA2:1-4505




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=6065, virus@MH188054.1-Culex_Y_virus_strain_CYV_Kern_partial_genome:1-6065

0 1000 2000 3000 4000 5000 6000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=7347, virus@MF176289.1_Wilkie_qin-like_virus_strain_mos182CP103635_segment_1_2:1-7347


0 2000 4000 6000



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




des_albopictus_C6_36_cell_densovirus_non-structural_protein_1_NS-1_non-structural:1-4094



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



Window size=25, length=2968, virus@NC_035126.1_Wilkie_narna-like_virus_1_strain_mosWSCP70929:1-2968


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, total=958, virus@NC_033716.1_Zhejiang_mosquito_virus_1_strain_mosZJ35497_hypothetical_protein_gene:1-9558

0 2000 4000 6000 8000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



size=25, divergence=0.3226, positive=0, total=0 2491.1_Zhejiang_mosquito_virus_3_strain_mosZJ35354_hypothetical_protein_and_RNA-dependent:1-3226


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10864, virus@NC_030290.1-Culiseta_flavivirus_strain_502-13:1-10864

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10941, virus@NC_012534.1-Bagaza_virus:1-10941


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



0 2000 4000 6000 8000 10000 12000




AeAlbo_C636_2dpi_mock1.18_23.rep



positive=0, negative=5, total=5

AeAlbo_C636_2dpi_mock1.24_35.rep




positive=0, negative=0, total=0

AeAlbo_C636_2dpi_mock1.rep




positive=0, negative=5, total=5

Window size=25, length=10690, virus@NC_004119.1-Montana_myotis_leukoencephalitis_virus:1-10690




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10723, virus@NC_001474.2-Dengue_virus_2:1-10723

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




virus size=25, length=4780, virus@KU169879.1-Anopheles_cypovirus_RNA-dependent_RNA_polymerase_gene:1-4780



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




0 1000 2000 3000 4000
window size=25, length=4773, virus@KJ632942.1-Mosinovirus_strain_C36-CI-2004_segment_RNA_1_and_RNA_2:1-4773


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




width=25, length=10302, virus@EU082200.2-Koutango_virus_strain_Dak_Ar_D_5443_polyprotein_gene:1-10302


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 1000 2000 3000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=10960, virus@AY898809.1-Alfuy_virus_strain_MRM3929:1-10960

0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=2965, virus@AY347953.2-Aedes_aegypti_genomic_sequence:1-2965

0 500 1000 1500 2000 2500 3000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




Window size=25, length=2857, virus@NC_035121.1_Point-Douro_narna-like_virus_strain_mos172gb29666:1-2857


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 500 1000 1500 2000 2500 3000 3500


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




1.1-Humaita-Tubiacanga_virus_isolate_Rio_segment_RNA-dependent_RNA_polymerase_replicase:1-4402

0 1000 2000 3000 4000


AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




0 2000 4000 6000 8000 10000
Window size=25, length=10254, virus@DQ235149.1-Royal_Farm_virus_from_Afghanistan_polyprotein_gene:1-10254


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




size=251, length=986, ev=0, scale=0.05055.1-Haemagogus_equinus_densovirus_nonstructural_protein_1_nonstructural_protein_2_and_c:1-3986

0 1000 2000 3000 4000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep




downloaded from <https://www.ncbi.nlm.nih.gov/nuccore/AY310877.1> - Aedes albopictus_C6_36_cell_densovirus_non-structural_protein_1_non-structural_prot:1-4006

0 1000 2000 3000 4000

AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep




AeAlbo_C636_2dpi_mock1.24_35.rep




AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



0 2000 4000 6000 8000 10000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



0 500 1000 1500 2000 2500 3000


AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep




AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep



AeAlbo_C636_2dpi_mock1.18_23.rep



AeAlbo_C636_2dpi_mock1.24_35.rep



AeAlbo_C636_2dpi_mock1.rep

