




CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep



CuQuin_Hsu.18_23.rep



positive=17, negative=40, total=57

CuQuin_Hsu.24_35.rep




positive=47, negative=225, total=272

CuQuin_Hsu.rep




-25, length=12099, positive=4209, negative=7890, total=12099 Phasi Charoen-like_virus_isolate_Rio_segment_S_plus_segment_M_plus_segment_L_Nucle:1-12099


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep






CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep







CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




Window size=25, length=3790, virus@AeAeg_Thai_Densovirus_c30446_g1_i1_len=3790:1-3790


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep






CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep







CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




Window size=25, length=3893, virus@GU452720.1-Mosquito_densovirus_BR_07:1-3893




0 1000 2000 3000 4000


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




Window size=25, length=2965, virus@AY347953.2-Aedes_aegypti_genomic_sequence:1-2965


CuQuin_Hsu.18_23.rep






CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep







CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep




























CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep
















CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep




row size=35, length=11964, virus=QinM227992.1-Una_virus_non_structural_polyprotein_gene_partial_cds_and_structural_polyprotein_ge:1-11964









CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep

















CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




Window size=25, length=11190, virus@NC_025384.1-Culex tritaeniorhynchus rhabdovirus RNA strain TY:1-11190



CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep












CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep






CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep



CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep





downloaded from SRA on 2025-10-01. HM147991.1-Trocaravirus non-structural polyprotein gene partial cds and structural polyprotein:1-12052









































































CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




Viewed on 2025-11-16 24:11:16, virus@NC_023812.1-Madariaga_virus_strain_MADV_Cebus_apella_BRA_BEAN5122_1956:1-11624




CuQuin_Hsu.18_23.rep







CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep











CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep











CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep









Window size=25, length=10941, virus@NC_012534.1-Bagaza_virus:1-10941



















CuQuin_Hsu.18_23.rep


CuQuin_Hsu.24_35.rep

CuQuin_Hsu.rep












CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep




0 2000 4000 6000 8000 10000








CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep







Window size=25, length=10735, virus@KM225265.1-Torres_virus_strain_TS52731-10735















































A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -1.0 to 1.0 with major ticks at -1.0, -0.5, 0.0, 0.5, and 1.0. The x-axis is unlabeled but represents a range of values from approximately -1.5 to 1.5.


A plot showing a single horizontal line at $y=0$. The y-axis is labeled from -1.0 to 1.0. The text "positive=0, negative=0, total=0" is displayed near the line.

Gray_Lodge_virus_nucleoprotein_phosphoprotein_hypothetical_proteins_matrix_glycopr:1-12403












A plot showing the relationship between positive, negative, and total counts. The y-axis ranges from -1.0 to 1.0. A horizontal line is drawn at y=0.0, labeled 'positive=0, negative=0, total=0'.


A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -0.5 to 1.0.


Protein Set	Difference in log-likelihood
low size	0.0
style=0	0.0
the_g2294=0	0.0
total=0	0.0
NC_034530.1-Marco_virus_nucleoprotein_phosphoprotein_matrix_glycoprotein_hypothetical_proteins:1-13294	0.0

























CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep









[illegible]


A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -1.0 to 1.0 with major ticks at -1.0, -0.5, 0.0, 0.5, and 1.0. The x-axis is unlabeled but represents a range of values from approximately -1.5 to 1.5.

A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -1.0 to 1.0 with major ticks at -1.0, -0.5, 0.0, 0.5, and 1.0. The x-axis is unlabeled but represents a range of values from approximately -1.5 to 1.5.

size=26, length=3226, nt=0, aa=0

NC_032491.1_Zhejiang_mosquito_virus_3_strain mosZJ35354_hypothetical_protein_and_RNA-dependent:1-3226

size=25, length=3226, window=0, NC_032491.1_Zhejiang_mosquito_virus_3_strain_mosZJ35354_hypothetical_protein_and_RNA-dependent:1-3226



CuQuin_Hsu.18_23.rep

positive=0, negative=0, total=0

CuQuin_Hsu.24_35.rep

positive=0, negative=0, total=0

CuQuin_Hsu.rep

size=25, length=10729, window=100, offset=0, NC_003132.1-Yichang_Insect_virus_strain_YCYC01_RNA-dependent_RNA_polymerase_L_G_N_gene:1-10729

CuQuin_Hsu.18_23.rep

positive=0, negative=0, total=0

CuQuin_Hsu.24_35.rep

positive=0, negative=0, total=0

CuQuin_Hsu.rep

size=25, length=10729, window=100, offset=0, NC_003132.1-Yichang_Insect_virus_strain_YCYC01_RNA-dependent_RNA_polymerase_L_G_N_gene:1-10729

CuQuin_Hsu.18_23.rep

positive=0, negative=0, total=0

CuQuin_Hsu.24_35.rep

positive=0, negative=0, total=0

CuQuin_Hsu.rep

size=25, length=10729, window=100, offset=0, NC_003132.1-Yichang_Insect_virus_strain_YCYC01_RNA-dependent_RNA_polymerase_L_G_N_gene:1-10729

CuQuin_Hsu.18_23.rep

positive=0, negative=0, total=0

CuQuin_Hsu.24_35.rep

positive=0, negative=0, total=0

CuQuin_Hsu.rep


size=25, length=10729, window=100, offset=0, NC_003132.1-Yichang_Insect_virus_strain_YCYC01_RNA-dependent_RNA_polymerase_L_G_N_gene:1-10729

A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -1.0 to 1.0 with major ticks at -1.0, -0.5, 0.0, 0.5, and 1.0. The x-axis is unlabeled but represents a range of values from approximately -1.5 to 1.5.


A plot showing a horizontal line at $y=0$. The y-axis is labeled from -1.0 to 1.0. The text "positive=0, negative=0, total=0" is displayed near the line.

th=13706 Stivir-9 ORF1-ORF3 total Wuhan_Mosquito_Virus_9_strain_JX1-13_ORF1_ORF1_ORF2_ORF2_ORF3_ORF3_glycoprotein_G_1-13706


A horizontal number line with tick marks at 0, 2000, 4000, 6000, 8000, 10000, 12000, and 14000.




CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep

















CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




Window size=25, length=11097, virus@NC_025356.1-Pike_fry_rhabdovirus_isolate_F4:1-11097


CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep









CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep




























CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep











CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




Window size=25, length=10940, virus@NC_007580.2-St._Louis_encephalitis_virus:1-10940


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep



0 2000 4000 6000 8000 10000







CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep









CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep







CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep





CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep









CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




Window size=25, length=11411, virus@NC_003417.1-Mayaro_virus:1-11411


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




Window size=25, length=11442, virus@NC_003215.1-Semliki_forest_virus:1-11442




CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep



0 2000 4000 6000 8000 10000







CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep




Window size=25, length=11444, virus@NC_001449.1-Venezuelan_equine_encephalitis_virus:1-11444


CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep





CuQuin_Hsu.rep





Window size=25, length=11014, virus@NC_000943.1-Murray_Valley_encephalitis_virus:1-11014












































A plot showing a horizontal line at y=0.0, labeled "positive=0, negative=0, total=0". The y-axis ranges from -1.0 to 1.0 with major ticks at -1.0, -0.5, 0.0, 0.5, and 1.0. The x-axis is unlabeled.


A plot showing a horizontal line at $y=0$. The y-axis is labeled from -1.0 to 1.0. The text "positive=0, negative=0, total=0" is displayed near the line.


The graph displays the log-odds ratio of the probability of a nucleotide being a specific base (A, C, G, U) versus its position in the RNA segment. The y-axis ranges from -1.0 to 1.0, and the x-axis ranges from 0 to 4000. The data points are clustered around the zero line, indicating no significant bias.




























CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep




CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep



Window size=25, length=10794, virus@AY632542.4-Rocio_virus_strain_SPH_34675:1-10794







CuQuin_Hsu.18_23.rep




CuQuin_Hsu.24_35.rep




CuQuin_Hsu.rep



CuQuin_Hsu.18_23.rep



CuQuin_Hsu.24_35.rep



CuQuin_Hsu.rep

